

PRODUCT TECHNICAL MANUAL

EB GLASS

Manufacturer of

Switchable Smart Glass

<https://ebglass.net>

sales@ebglass.net



Switchable Smart Glass

EB GLASS supply PDLC switchable glass products with 2 years Limited Warranty.
This warranty applies to switchable glass products defects resulting from
manufacturing or defective materials.



**CAUTION READ THIS TECHNICAL
MANUAL BEFORE PROCEEDING!**

**DO NOT INSTALL SWITCHABLE GLASS OR FILM ON
A LIVE CIRCUIT!**

FAILURE TO COMPLY WITH THE MANUFACTURER'S
GUIDELINES MAY VOID MANUFACTURER'S WARRANTY

Switchable Smart Glass



**USE ONLY NEUTRAL (NON-ACIDIC) SILICON
SEALANTS**

**Any Other Sealants Than The Recommended
Types May Cause Permanent Damage.**

**Switchable Glass Panels Must Be Turned Off At least 4
Hours Every 24 Hours.**

Clients or users should operate switchable glass panels per wiring diagram provided by EB Glass. All electrical wiring should be handled by licensed electrician. Use appropriate power transformer recommended by the manufacturer. The electrical load must not exceed the transformer power rate.

**CAUTION READ THIS TECHNICAL MANUAL
BEFORE PROCEEDING!**